

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Industrial water supply- CDCC- SLSWCC- permission for drawl of 1600 KL per day (0.019 Cumecs or 0.654 Cusecs) for both drinking water and water for industrial use from River Godavari just downstream of Tadipudi Major LI Scheme Pump House by M/s Bio-Ethanol India Limited for their proposed Industry to be set up at Annadevarapeta (V), Tallapudi (M), West Godavari District - Permission accorded-Orders-issued.

IRRIGATION & CAD (PW-REFORMS) DEPARTMENT

G.O.Ms.No. 119

Dated :27-10-2010

Read the following:-

- 1) From Engineer-in-Chief (Irrigation) Letter.No.DCE.IV/OTM5/S1/SLSWCC /2008-4, dated 3.12.2007.
- 2) Memo.No. 12798 / Reforms / 2008, dt:30-05-2008.
- 3) From C.E. ISWR / DD (T) / DEE-3 / MIS /Sri Teja / Industrial&water / 2007,,Dt:04-06-2008.

ORDER:

In the letter read above, the Engineer-in-Chief (Irrigation) has stated that the Commissioner of Industries in his letter dt. 11-4-2007 has forwarded a common application of M/s Bio-Ethanol India Limited, Annadevarapeta (V), Tallapudi (M), West Godavari District for getting permission to draw water from river Godavari and to communicate the decision of the Irrigation Department to the Nodal Agency for placing the matter before SLSWCC. The Engineer-in-Chief (Irrigation) has also stated that the Superintending Engineer, Irrigation Circle, Dowlaiswaram has reported that the proposed site for lifting of water from River Godavari is just downstream of Tadipudi Major Lift Irrigation Scheme Pump House and the quantity of water required by the Industry for both drinking water and industrial use is 1600 Kilo Liters per day which can be spared and permission can be accorded duly stipulating the conditions.

2. Further, the Engineer-in-Chief (Irrigation) has requested the Government to accord permission to M/s Bio Ethanol India Limited to draw 1600 Kilo liters per day of water just downstream of Tadipudi Major Lift Irrigation Scheme on River Godavari between KM.25.40 and KM.25.60 of AGRB in Prakkilanka (V) limits, Tallapudi (M) subject to the concurrence from the District Collector, West Godavari District and the A.P.Pollution Control Board, for consumptive use as requested by the Industry subject to the following conditions.

1. The water will be spared on the availability of water in the river Godavari and no request for release of water from any U/S Reservoir or Canal will be considered.
2. The entire cost of construction of pump house, pipelines excavation etc., should be born by the industry only
3. Water meters should be installed at their own cost to measure the water consumed and should be made available to the departmental authorities at all times for inspection
4. The industry has to satisfy itself with regard to availability of water through out the year to the extent of their requirement and make its own arrangements for summer storage, when there will be normal lean flows in River Godavari.
5. No field bodhi or pipeline shall be taken through or along with Government land without approval of Government and if permission accorded by the Government the lease of Government land should be paid as fixed by the Government only.
6. The prior concurrence of any departments if needed should be obtained by the industry for laying pipelines crossing roads etc.
7. The industry should make their own arrangements for supplementation of water in their premises only
8. The industry should make their own arrangements to dispose the treated effluents as per the norms of Andhra Pradesh Pollution Control Board in their

- premises only and should obtain prior permission if any needed from the Government to dispose effluents in the natural sources
9. The Irrigation Department reserves the right for cancellation of the permission with out assigning any reasons
 10. The Irrigation Department is no way responsible for non-supply of water due to any reasons
 11. The Agency must acquire the private land in margin lanka for installation of pumping arrangements
 12. The Industry must strengthen the river margin 100 Mts on either sides of the proposed location to avoid slips, erosion of lanka margins and to protect existing margins as directed by the Department
 13. The industry should follow the Board of Standing Orders.
 14. The firm should pay at the cost of 2.5% of water drawl for 5 (Five) years as security deposit
 15. The permission shall be for a period of **5 (Five) years only** . The permission shall have to renewed well in advance before the expiry of permission.
 16. The Industry shall abide any other condition laid down by the Government/Department from time to time.
 17. The Industry should pay three months EMD for Rs.95,028/-
 18. The Industry shall follow the G.O.Ms.No.39, I&CAD dated 2.4.2002 and shall pay Rs.3.00 per 1000 gallons as there are no return waters from the factory or as per the rates fixed by the Government from time to time
 19. The water drawn from the river Godavari should be utilized for the purpose for which permission is granted. Any misuse in this regard will entail cancellation for the permission with out any notice and liable for imposition of penalty.
 20. The industry shall pay one year water charges as advance and any amounts due to the Department before entering into agreement.
 21. The firm has to pay the water charges for the estimated quantity in advance to the start of the financial year i.e. before 10th April every year as per B.S.O.
 22. The consumptive utilization of 1600 KL per day (0.091 Cumecs or 0.654 Cusecs) as required should not exceed under any circumstances.
 23. Non adherence of any of the above conditions by the Industry entails cancellation of the permission.
 24. The detailed plan showing the location, the intake arrangements, details of Pump House, conveyance system etc., shall be furnished to the superintending Engineer, concerned.
3. In the circumstances reported by the Engineer-in- Chief (Irrigation) above, Government after careful examination of the proposal hereby grant permission for drawal of 1600 KL per day for lifting water from River Godavari just downstream of Tadipudi Major LI Scheme Pump House by M/s Bio-Ethanol India Limited for their proposed Industry to be set up at Annadevarapeta (V), Tallapudi (M), West Godavari District for a period of 5 years for consumptive use for Industrial purpose, subject to payment of royalty charges and conditions as stipulated in Board of Revenue standing orders and general conditions as mentioned at para (2) above.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHAILENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO THE GOVT.(P)

To
The Engineer-in-Chief , (Irrigation), Irrgn. & CAD Dept., Jalasoudha Building,
Hyderabad.
The Superintending Engineer, Irrigation Circle, Dowlaiswaram.
Copy to:
The Collector & District Magistrate, West Godavari District, Kakinada

The Chief Engineer, ISWR, Errum Manzil, HyderabadThe Commissioner of Industries, Chirag
Ali Line, Hyderabad.
The Managing Director, A.P. Pollution Control Board, Hyderabad.
M/s Bio Ethanol India Ltd., Annadevarapeta (V), Tallapudi (M), West Godavari District.
SF/SC

// FORWARDED :: BY ORDER //

SECTION OFFICER